

OF DREAMS 2024







### What do you see when you look at a backyard, front porch, or driveway?

#### At Unilock, we see possibilities.

Possibilities to build works of art and personal playgrounds. Possibilities to bring families together for a birthday barbecue or a wedding reception.


Possibilities to transform your imagination into remarkable outdoor spaces, and build connections stronger than the concrete underfoot.

And we don't let possibilities go to waste. Built on 50 years of innovation and sustainability, Unilock provides customers the tools to transform dreams into reality. We connect you with proven contractors and supply an endless canvas of materials, but the final product is always uniquely yours. And when your project is complete, you don't just have something beautiful, you've changed the way you see the world.

So, where can you see possibilities, and how can we help you build them?



### TABLE OF Contents



Journey in style as you discover, dream, and learn about our revolutionary Unilock products and resources.

#### **DREAM**

Discover Unilock Finishes

**16** Dream with Unilock

Choose your Color

14 Unique Touches

48 Unilock Best in Show

#### **PRODUCTS**

**52** Product Categories

Think Green

**156** Retaining Walls

88 Pavers & Slabs

Unilock Technologies **62** Collections

**180** Coping, Steps & Treads

#### 188 LEARN & PLAN

**192** Project Planning Resources

198 Commercial Projects

**194** Finding the Right Contractor

200 Quality Commitment


196 Installation 101



# Dream

Begin with a dream of what's possible

Imagine an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.



### Discover Unilock Coatings



#### Feels 3x better on bare feet than ordinary pavers.

A special finishing process creates the ultra-smooth and silky surface texture of Comfort Step. This special technology results in a remarkably tight surface that is factory sealed to create a unique sensory experience that is velvety-smooth and cool underfoot.





Available exclusively on Elegance and select EnduraColor products, EasyClean enhances the surface color and provides integral stain resistance.

# Surface Finishes PROMENADE™



UMBRIANO®, U-CARA®

#### **Antiqued**

Various methods are employed to obtain this weathered, timeworn finish, but in every instance, this patina improves the appearance.

BRUSSELS BLOCK® BRUSSELS DIMENSIONAL™ MATTONI™

The look of boldly mottled granite is achieved with a proprietary process called Artista.



#### **Brushed**

IL CAMPO®, PROMENADE™

Accentuated by artistically intriguing etched lines, this surface is available exclusively from Unilock.




#### **Enhanced Surface**

REVELA™, PROMENADE™



The surface of these products is enhanced using a special process to reveal a variety of distinctive colors and textures.



# Choose your Shape


#### SHAPING YOUR OUTDOOR PROJECT

Finding the right shape to fit your outdoor project is like placing the last puzzle piece on an exquisite work of art. It just fits! What's more, combine different shapes together to deliver a two-for-one hardscape punch that will elevate your artistic vision to new heights.









## What will you create?


Let your imagination run wild in the playground of Unilock paving products!





# Find your Style


Whether you're designing a quaint backyard refuge or an ultra-modern driveway, we have a variety of paving products that'll turn your outdoor space into a little slice of heaven.




# Pick your Pattern

#### **PLAY WITH ANGLES**

From herringbone to basket weave, the right angle can make all the difference! A Unilock Authorized Contractor can recommend the best laying patterns based on the products you choose.









#### THINK OUTSIDE THE BOX

Distinct laying patterns can help define unique "rooms" across your outdoor space, giving you countless design options.

Visit Unilock.com for laying patterns.

## Unique Touches

Let your creativity shine! Unilock border and banding options can help enhance your distinctive designs and add touches of elegance to your driveway, walkway, patio or vertical features.





Make a dramatic impact with non-linear designs. Like the atypical array of hexagon-shaped pavers, or a pixelated look created with light and dark square pavers.





Take it a step further with multiple borders, pixelated paver rugs or contrasting geometric grids.

#### **JOINT MATERIAL**







Joint material plays an important role between pavers by keeping out weeds and other debris. However, the color you choose can also have a dramatic impact on the look of your project. Your contractor can help you decide what will work best.





Clean, opposing angled lines in this poolside patio create the effect of a chevron, unifying upper and lower decks.






Slabs laid in a stacked bond pattern add to the long, clean lines of this contemporary pool area. Nearby steps lead to a natural-canopied setting for al fresco dining.

Pavers: Umbriano\* (French Grey)
Walls and Steps: U-Cara\*
Umbriano with Umbriano coping
(Winter Marvel)



Scan here for





Pavers: Beacon Hill™ Smooth Slab (Granite Mist) with Natural Stone (Black River) accent and Beacon Hill Smooth (Dark Charcoal) accents

Firepit and Kitchen: Lineo™ Dimensional Stone (Granite blend) with Beacon Hill Smooth (Dark Charcoal) accent








Large, contemporary slabs accented by contrasting paver bands create a generous sense of space for this intimate, multi-purpose backyard.



Pavers: Urban™ (Indiana Buff)


Garden Walls, Pillar and Steps: U-Cara®
Smooth (Indiana Buff) with Umbriano®
(French Grey) Coping and step treads







Urban meets
suburban. A blending
of paver slabs
laid in a variety of
geometric patterns
and contrasted
by turf makes this
project a visual feast.





Old world charm mingles with modern-day style in this enchanting backyard.







Pavers: Beacon Hill™Smooth (Granite Mist) and Town Hall® (Basalt) accent

**Vertical Features:** Lineo<sup>™</sup> Dimensional Stone (Granite Blend) with Ledgestone<sup>™</sup> coping and pillar cap (Grey)




Scan here for project video





Clean, granite-like pavers make this ultra-modern pool deck comfortable and cool underfoot on hot, sunny days. Adding to the ambiance of this summer escape is a soothing water feature.





**Pavers:** Umbriano® with Umbriano coping (Grenada White)

**Water Feature and wall:** U-Cara® Umbriano with Umbriano coping (Grenada White)




Scan here for project video






Patio Pavers: Beacon Hill™ Smooth (Granite Mist) with Series (Black Granite) accent

Wall: U-Cara® Smooth (Opal Blend) with U-Cara Series (Black Granite) accents







An array of grey and black pavers in the driveway and backyard creates a super sleek, ultra-modern geometric playground.




Beacon Hill™ Smooth (Fossil) with Natural Stone coping





This gorgeous backyard invites neighbor envy. The linear design of this contemporary pool deck evokes a feeling of tranquility.





Richcliff\* (Dawn Mist and Pebble Taupe) with Courtstone\* (Basalt) accent and Ledgestone™ (Buff) step treads






This Arts and Crafts-style home features the strikingly detailed riven texture of Richcliff, delivering classic elegance.




An ultra-modern, dazzling summer getaway pairs a sparkling pool with sleek Umbriano slabs.





Umbriano\* (Winter Marvel)














Hexagons and rectangles in contrasting color comes to life in this jaw-dropping, pixel perfect design.




Pavers: Series<sup>™</sup> (Black Granite, Glacier and Mountain Mist)

Entryway and Steps: Umbriano\* (Winter Marvel) with Umbriano Hex (Midnight Sky and French Grey) accents with Umbriano coping (Midnight Sky)



Scan here for project video




Pavers: Urban™ (Indiana Buff) with Copthorne® (Basalt) paver rug

**Garden Walls and Steps:** U-Cara<sup>®</sup> Smooth (Indiana Buff) with Urban (Indiana Buff) Coping and step treads





Scan here for project video





This urban oasis
features an elegant
pool deck with paver
slabs that stay cool and
comfortable, and an
adjacent seating area
offset by a distinctive
herringbone paver rug.






Pavers: Beacon Hill™ Smooth (Opal Blend) with Hollandstone™ Premier (Dark Charcoal) accent

Fire Feature and Raised Patio: Lineo™ Dimensional Stone (Charcoal) with Universal coping (Light Grey) and steps






This elevated backyard patio raises the bar with a stunning fire feature, lounge seating and feature lighting at night.







Pavers: Beacon Hill™Smooth (Granite Mist)
with Beacon Hill Smooth (Opal Blend) and
Copthorne\* (Basalt) paver rug and accents
Water Feature: U-Cara\* Umbriano\* (French

Water Feature: U-Cara® Umbriano® (French Grey and Midnight Sky) with Natural Stone (Stone Cliff Grey) coping





This modest pool deck makes a big splash, with a distinctive paver rug, water feature, and lighting for cozy vibes.





Pavers: Copthorne® (Basalt) with Richcliff® (Dawn Mist) and Beacon Hill™ Smooth (Opal Blend) border

Step Treads: Natural Stone (Stone Cliff Grey)










A gently curved walkway brings visitors to the front entrance with Copthorne pavers laid in a traditional herringbone pattern.

Whole home versatility.
The subtle surface detail
of Umbriano works
beautifully from front
entrance to backyard.






Umbriano® pavers with U-Cara® Wall and Umbriano step treads (Summer Wheat)





Scan here for project video






Richcliff\*(Dawn Mist) with Copthorne\*(Basalt) paver rug and Courtstone\*(Basalt) accents and Natural Stone (Stone Cliff Grey) slabs







A blending of natural stone and historic brick textures laid in a variety of patterns makes this project a visual feast.



#### County Wide Landscaping


## **Best in Show Winner**



"The homeowners envisioned a modern, outdoor sanctuary."

The scope of this 2,400 sqft residential project presented a number of challenges, one of which was elevation. "There was a lot of grading that had to go into this to make the project work," says Brian Larson, President of County Wide Landscaping. "That's why it's a three-level patio."

The finished space features a monochromatic pool deck in a beautiful mosaic-like geometric design, with square paver slabs interspersed with zigzagging lines of artificial turf. A putting green lies adjacent to the space, along with a breathtaking waterfall cascading from the roof of a shaded pergola.



The pergola was built using Lineo™ Dimensional Stone, topped with Ledgestone™ pillar caps in a grey hue to complement the minimalistic design of the backyard space. Patio lighting was installed under the pillar caps on the patio, creating a soothing ambiance that helps guide visitors at night.

On the upper deck an outdoor kitchen was designed using Lineo™ Dimensional Stone, complete with a grill, bar island and granite countertop, with bar stools to accommodate multiple guests. Finally, nestled towards the rear of the yard, an enclosed seating area features a cozy fire pit, allowing guests to relax and unwind on crisp summer nights.

The result is a stunning outdoor space that transformed this backyard into a haven that will be enjoyed for years to come.



"Unilock provided the sleek, modern look we needed to achieve this extravagant design"

Brian Larsen

PRESIDENT OF COUNTY WIDE LANDSCAPING







# Products

# Capture the eye with exclusive products

From weathered cobblestone to contemporary linear, our product selection reaches beyond the horizontal to include garden walls, pillars, steps, fire tables and fountains. Rock the look that is unmistakably you, and undeniably Unilock!



# Unilock Product Categories




#### **CLASSIC**

Our **budget-friendly** Classic products are manufactured to exceed ASTM standards for quality and strength.



#### **ENDURACOLOR**


The refined look of our EnduraColor products is achieved with a two-step manufacturing process that uses concentrated color and **wear-resistant** finer aggregates to protect the surface from the appearance of fading over time.



#### **ELEGANCE**

Our Elegance collection offers timeless beauty with styles you can't get anywhere else. From the classic luxury of riven natural stone slabs to the timeworn look of European cobblestones, the look you purchase is the look that will last.

#### **Project Cost**



Choose the product you love to get the maximum enjoyment from the investment you've made below the surface.

#### Don't Compromise


Many products look great when they're first installed, but after time the difference in quality shows.

In an average project, only 20% of the overall cost comes from the paver and wall products you choose, so don't be tempted to compromise.





# Think Green



More and more households are opting for permeable paver projects as a sustainable, cost-effective and environmentally friendly alternative to traditional pavers.

Developed in response to growing concerns around stormwater management, permeable pavers allow rainwater to flow between the joints of pavers and back into the subsoil. This provides a dual "green" benefit: by naturally filtering out pollutants before stormwater reaches waterways, and by providing extra moisture back into surrounding plant material.

Using permeable pavers will decrease rainwater puddling on the pavement, effectively reducing the risk of ice buildup which is a benefit particularly useful on driveways.

For homeowners who live in regions where local codes require them to reduce impervious surfaces on their lot to accommodate a new landscape feature like an in-ground pool, permeable paving is a popular alternative to conventional poured-in-place concrete or asphalt.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!

#### **Permeable Pavers**

Special materials are used in the joints and in the permeable base below, to encourage water to flow through and reach the subsoil.



Permeable pavers look similar to traditional pavers but are designed with special spacer bars that create a wider joint.

# Permeable Collection @

In 1991, Unilock introduced the first permeable paver to North America. Since then, we've worked to produce the most extensive collection of permeable pavers in the industry.

#### TOWN HALL



#### ECO-PRIORA™ PREMIER



TREO' SMOOTH



ECO-PROMENADE



TRIBECA COBBLE



NORDIC COBBLE



## Ultima



Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers **up to four times stronger** than poured concrete. With Ultima, the look you purchase is the look that will last.

Exclusive to **UNILOCK** 



Ultima Concrete is a key ingredient in the **timeless beauty** of our Elegance collection of premium pavers.

### What makes Ultima concrete so strong?

In a word, fluidity. During manufacturing, we use as little water as possible while enhancing the fluidity at the drying stage, resulting in a form that self-compacts at the chemical level. The result is an extraordinary product that is unlike anything you'll find outside of Unilock.

#### With Ultima

Unilock Town Hall® pavers are built to last



#### **Without Ultima**

Deteriorating brick pavers exposed to deicing salts

### Reala

When it comes to creating **realistic textures** that are indistinguishable from brick, cobblestone, or flagstone, there is no room for compromise.

Any paver meant to imitate a classic building material needs to embody its look, its feel, and its strength.

At Unilock, we've been capturing all three since 2004 with our Reala technology.










### How do we achieve a random appearance?

First, we cast a multitude of pavers from molds of actual flagstone, brick, and cobblestone. Then we randomize the casting process. With so much variation between molds, we can then ensure that any paver installation avoids repetition, no matter how large or small the project.













Stains set for thirty minutes, then removed with damp paper towel, hand scrub brush and mild soap

#### What does this mean for stains?

Any spill that does manage to land on an EasyClean paver can be quickly and easily wiped away - no deep scrubbing or heavy cleaners needed.

Exclusive to **UNILOCK** 

Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color, and stain resistance.

#### **EASYCLEAN ADVANTAGES**

Pavers are pre-sealed at the factory

Enhanced resistance to weathering

Reduced dirt absorption

Stains from leaves, coffee, ketchup, mustard, wine and BBO oils are easier to remove






ColorFusion

Exclusive to **UNILOCK** 





ColorFusion is made with the same durable concrete and fortifying manufacturing processes that make Unilock pavers last for decades. Our commitment to beautiful, long-lasting hardscaping products is what built our reputation, and we honor that commitment through continued innovation.

### Sustainability Commitment



#### In 2021, Unilock announced its commitment to becoming a carbon neutral company.

We have implemented initiatives that continue to minimize our use of fossil fuels, conserve water and replace cement in our products, while producing the highest quality product.



Learn More

### How can you make your project more sustainable?

#### Make it Permeable


Permeable pavers allow rainwater to flow through the pavement surface and back into the subsoil below, filtering out contaminants that could otherwise flow into stormwater drains and pollute local waterways.

#### **Shop Locally**

Choosing products that are manufactured at a Unilock facility close to your home reduces carbon emissions associated with transportation.

#### **Think Lighter**

Products that are lighter in color, have a higher solar reflectance. When you choose a lighter colored product, more of the sun's energy is reflected and less heat is absorbed into the pavement surface. This helps reduce urban 'heat island effect' and carries a number of environmental benefits.



Paving a Greener Way

Paving a Greener Way

Up To 15%
REDUCTION IN CO2





Revolutionary EcoTerra technology offers a sustainable paving solution with its cement-free face-mix. It provides high compressive strength, low absorption, and remarkable colorfastness, all while contributing up to a 15% reduction in carbon dioxide emissions. Additionally, EcoTerra products are designed to be free of efflorescence.

**CEMENT-FREE** 


**FACE-MIX** 

**ENDURACOLOR** 



**TRUE LONGER** 

2020 winner Innovative Product





# Collections

Unilock Collections streamline the product selection process by offering pavers, walls, steps and coping that will work well together to enhance any outdoor space.

Umbriano° Collection (Grenada White)



The modern look of granite is now available across pavers, walls, coping and steps.

You can achieve a modern monochromatic design by combining these products together for the ultimate contemporary look.




Exclusive to UNILOCK

## Umbriano®


COLLECTION

Sleek, modern look of granite





PATIOS & POOL DECKS





ENTRANCES & DRIVEWAYS



Umbriano°



VERTICAL FEATURES





STEPS & COPING



FRENCH GREY



GRENADA WHITE



SUMMER WHEAT



WINTER MARVEL



MIDNIGHT SKY
7x14, 8x16, 8x24, 18x36,
Wall and Copings only









COLORFUSION™
Subtly mottled color finish





#### **ENDURACOLOR**

### Umbriano collection

#### **3 UNIT RANDOM BUNDLE**

See page 117 for product details

60mm - Pedestrian only 80mm - Drive Friendly



AVAILABLE IN 60MM & 80MM

// Large Rectangle -  $14\frac{1}{4} \times 21\frac{1}{2} \times 2^{3}/8$ "  $360 \times 540 \times 60$ mm

// Square -  $14\frac{1}{4} \times 14\frac{1}{4} \times 2^{3}\frac{1}{8}$ "  $360 \times 360 \times 60$ mm

// Small Rectangle - 7 x 141/4 x 23/8" 180 x 360 x 60mm

#### **PAVER & SLAB**

— See pages 117-119 for product details



New 18 x 36

17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>8</sub>" 17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 3<sup>7</sup>/<sub>8</sub>" 450 x 900 x 60mm 450 x 900 x 100mm

18 x 36



7 x 14 x 23/8" 180 x 360 x 60mm **7 x 14 x 3**1/8" 180 x 360 x 80mm



8 x 16

7 % x 15 3/4 x 23/4" 200 x 400 x 70mm



16 x 16 15 <sup>3</sup>/<sub>4</sub> x 15 <sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>" 400 x 400 x 70mm



Hex 71/8 x 71/8 x 23/4" 200 x 200 x 70mm



12 x 24

11% x 23 5% x 23/4" 300 x 600 x 70mm



8 x 24 7<sup>7</sup>/<sub>8</sub> x 23<sup>5</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>4</sub>"

200 x 600 x 70mm



36 x 36

35½ x 35½ x 3¾" 900 x 900 x 100mm

#### **WALL AND STEP**

— See page 159 for product details



// U-Cara Umbriano Fascia Panel 5% x 183/8 x 23/8" 150 x 466 x 60mm

// U-Cara Corner
Umbriano Closed-end Panel

5% x 20% x 23/8" 150 x 530 x 60mm

#### **COPING**

See page 183 for product details




// Umbriano Bullnose 14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x 60 mm



// Umbriano Chamfered

14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x 60mm




Available in smooth or flagstone textures, the Beacon Hill Collection offers a monochromatic color palette that brings a relaxed vibe to any outdoor project.

#### **ENDURACOLOR**

## Beacon Hill

COLLECTION

From contemporary to traditional, this collection has something for everyone






PATIOS & POOL DECKS





ENTRANCES & DRIVEWAYS



Beacon Hill®



VERTICAL FEATURES







### SMOOTH



ALMOND GROVE Excluding Slab

OPAL BLEND

GRANITE MIST





7x14 only

DARK CHARCOAL 7x14 only

### FLAGSTONE RANDOM



ALMOND GROVE



FOSSIL



GRANITE MIST



### **ENDURACOLOR**

## Beacon Hill COLLECTION

### **3 UNIT RANDOM BUNDLE**

See page 91 & 95 for product details

60mm - Pedestrian only 80mm - Drive Friendly






- **// Large Rectangle**  $15 \times 22\frac{1}{2} \times 2^{3}$ /8"  $380 \times 570 \times 60$ mm
- **// Square** 15 x 15 x 2<sup>3</sup>/<sub>8</sub>" 380 x 380 x 60mm
- **// Small Rectangle**  $-7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ "  $190 \times 380 \times 60$  mm

### **PAVER & SLAB**

See page 93 for product details



22½ x 37½ x 2¾" 570 x 950 x 60mm

Smooth only



7½ x 15 x 23/8" 190 x 380 x 60mm

Smooth only

7½ x 15 x 3½" 190 x 380 x 80mm

### **WALL AND STEP**

See page 159 for product details



Smooth and Pitched Fascia Panel

150 x 466 x 60mm

// U-Cara Corner Smooth and Pitched Closed-end Panel 5% x 20% x 23/8" 150 x 530 x 60mm

5% x 183/8 x 23/8"

### **COPING**

See page 183 for product details



// Beacon Hill Bullnose 14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x 60mm



// Beacon Hill Chamfered 14 x 24 x 2<sup>3</sup>/<sub>8</sub>"

360 x 600 x 60mm



Step up your outdoor game with the bold and stylish Urban Collection. Urban pavers, slabs and coping are manufactured with EnduraColor™, providing a refined surface that resists the appearance of fading over time.




### **ENDURACOLOR**

# Urban™

COLLECTION

Out with the old, in with the Urban!










INDIANA BUFF



STERLING



DARK CHARCOAL
Wall and Coping only



## Urban<sup>™</sup> collection

### **3 UNIT RANDOM BUNDLE**

See page 105 for product details




**// Large Rectangle** -  $15 \times 22 \frac{1}{2} \times 23\frac{3}{8}$ "  $380 \times 570 \times 60$ mm

// **Square** - 15 x 15 x 2<sup>3</sup>/<sub>8</sub>" 380 x 380 x 60mm

// Small Rectangle  $-7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ "  $190 \times 380 \times 60$ mm

### SLAB

See page 119 for product details



// 18 x 24 17<sup>3</sup>/<sub>4</sub> x 23<sup>5</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>8</sub>" 450 x 600 x 60mm // 18 x 36 17<sup>3</sup>/<sub>4</sub> x35<sup>1</sup>/<sub>2</sub> x 3<sup>2</sup>/<sub>8</sub>" 450 x 900 x 60mm New Thickness // 18 x 36 17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 4" 450 x 900 x 100mm

Ask us about our base stabilization systems for driveway installation

### **WALL AND STEP**

See page 159 for product details



// U-Cara Smooth Fascia Panel 5% x 18¾ x 2¾" 150 x 466 x 60mm

// U-Cara Corner Smooth Closed-end Panel

5% x 20% x 23/8" 150 x 530 x 60mm

### COPING

See page 182 for product details




// Urban Bullnose

19 x 35½ x 2¾" 485 x 900 x 60mm



// Urban Chamfered 19 x 35½ x 2¾" 485 x 900 x 60mm



The gentle surface texture of Windermere evokes a relaxing appearance that's suitable for driveway, walkway, or patio applications.

### CLASSIC

# Windermere™

COLLECTION

Classic look with budget-friendly appeal



### SMOOTH



SAFARI







CLIFFSIDE GREY

Available in 7x14,

Wall, Coping and Step only

FLAGSTONE



DUSK







SAFARI

GRANITE BLEND

GRANITE BLEND

CLIFFSIDE GREY







### **CLASSIC**

## Windermere collection

### **3 UNIT RANDOM BUNDLE**







### SMOOTH & FLAGSTONE



// Small Rectangle Smooth only

- **// Large Rectangle**  $14 \times 21 \times 2^{3}$ / $^{\text{"}} 380 \times 540 \times 70 \text{mm}$
- // Square 14 x 14 x 2<sup>3</sup>/<sub>4</sub>" 360 x 360 x 70mm
- // Small Rectangle 7 x 14 x 2<sup>3</sup>/<sub>4</sub>" 180 x 360 x 70mm

### WALL

See page 165 & 169 for product details



// Lineo™ Dimensional Smooth Random Bundle



// Pisa<sup>™</sup> Smooth Standard / Corner 101/8 x 213/4 x 33/8"

### **COPING**



// Pisa<sup>™</sup> Smooth 131/8 x 213/4 x 33/8" 350 x 550 x 85mm



### COMING SOON Pisa Smooth Jumper Standard / Corner

275 x 550 x 85mm

101/8 x 213/4 x 62/3" 275 x 550 x 170mm

**STEP** See page 185 for product details




// SienaStone™ Smooth 48" Step

20x 471/4 x 7" 500 x 1200 x 180mm



// SienaStone Smooth 72" Step

20 x 70<sup>3</sup>/<sub>4</sub> x 7" 500 x 1800 x 180mm





The Metro Collection appeals to homeowners who seek a clean, modern look. Available in three contemporary hues for a sleek, outdoor space.


### CLASSIC


# Metro

COLLECTION

Upgrade your outdoor space with this cost-efficient collection









DUSK



SAFARI



CHARCOAL Excluding Random







### **CLASSIC**

## Metro™ collection

### **3 UNIT RANDOM BUNDLE**

See page 103 for product details



- **// Large Rectangle**  $10 \times 15 \times 2^{3}$ /4"  $250 \times 375 \times 70$ mm
- **// Square** 10 x 10 x 2<sup>3</sup>/<sub>4</sub>" 250 x 250 x 70mm
- // Small Rectangle  $-5 \times 10 \times 2^{3}$ /4"  $125 \times 250 \times 70$ mm



// Small Rectangle Charcoal only

See page 103 for product details



15 x 29% x 23/4" 380 x 760 x 60mm



17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 3<sup>7</sup>/<sub>8</sub>" 450 x 900 x 100mm

WALL

**SLAB** 

See page 165 & 169 for product details



// Lineo™ Dimensional Smooth Random Bundle



// Pisa<sup>™</sup> Smooth Standard / Corner

101/8 x 213/4 x 33/8" 275 x 550 x 85mm

### COPING



// Pisa<sup>™</sup> Smooth 131/8 x 213/4 x 33/8" 350 x 550 x 85mm



COMING SOON Pisa Smooth Jumper Standard / Corner

107/8 x 213/4 x 62/3" 275 x 550 x 170mm

**STEP** 

See page 185 for product details




// SienaStone™ Smooth 48" Step

20x 471/4 x 7" 500 x 1200 x 180mm



// SienaStone Smooth 72" Step 20 x 70<sup>3</sup>/<sub>4</sub> x 7" 500 x 1800 x 180mm





# Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.



### PRODUCT PAIRINGS



Pool & Wall Coping
Beacon Hill™ Coping
See page 183

U-Cara® Smooth See page 159





Steps

SienaStone<sup>™</sup> Smooth See page 185

## TOP Opal Blend with Mattoni" (Dark Charcoal) accent BOTTOM Almond Grove with Dark Charcoal accent

### ENDURACOLOR®

### Beacon Hill Smooth











ALMOND GROVE

FOSSIL

GRANITE MIST

OPAL BLEND

### 3 UNIT RANDOM BUNDLE AVAILABLE IN BOTH 60MM & 80MM

 $60 mm \ not \ suitable \ for \ vehicular \ applications. \ 80 mm \ can \ handle \ vehicular \ loads.$ 



LARGE RECTANGLE 15 x 22½ x 2¾ (3½)" 380 x 570 x 60 (80) mm



SQUARE 15 x 15 x 2<sup>3</sup>/<sub>8</sub> (3<sup>1</sup>/<sub>8</sub>)" 380 x 380 x 60 (80) mm



SMALL RECTANGLE 7½ x 15 x 2¾ (3½)" 190 x 380 x 60 (80) mm

#### **SMALL RECTANGLE** AVAILABLE IN BOTH 60MM & 80MM










7½ x 15 x 2¾ (3½)" 190 x 380 x 60 (80) mm

DARK BROWN


DARK CHARCOAL

OPAL BLEND

SLAB PEDESTRIAN ONLY —



22½ x 37½ x 2¾ 570 x 950 x 60mm Fossil, Granite Mist and Opal Blend Only See page 93



# Beacon Hill Smooth









OPAL BLEND

GRANITE MIST

FOSSIL

INDIVIDUAL UNIT PEDESTRIAN ONLY



Color selection should be chosen from actual samples.





### PRODUCT PAIRINGS



Pool & Wall Coping

Beacon Hill™ Coping

See page 183

U-Cara® Pitched See page 159





Steps

SienaStone<sup>™</sup> Smooth See page 185

#### **TOP** Granite Mist with Copthorne® (Basalt) accent

BOTTOM Granite Mist with Copthorne (Basalt) and Beacon Hill Smooth (Opal Blend) accents.

U-Cara Pitched (Granite Mist) retaining wall with Opal Blend accent and Natural Stone coping and steps.

### **ENDURACOLOR**

## Beacon Hill Flagstone









ALMOND GROVE

FOSSIL


GRANITE MIST

### **3 UNIT RANDOM BUNDLE** AVAILABLE IN BOTH 60MM & 80MM

60mm not suitable for vehicular applications. 80mm can handle vehicular loads.









SMALL RECTANGLE 7½ x 15 x 2¾ (3½)" 190 x 380 x 60 (80) mm











# Northshore™











FOSSIL

**GRANITE MIST** 

STERLING

DARK CHARCOAL Small Rectangle only

### PRODUCT PAIRINGS



Pool & Wall Coping Beacon Hill™ Coping See page 183



U-Cara Pitched See page 159



Steps

 $\mathsf{SienaStone}^{\scriptscriptstyle{\mathsf{TM}}}\mathsf{Smooth}$ See page 185

Fossil with Town Hall® (Basalt) accent

**BOTTOM** Granite Mist







SQUARE 11% x 11% x 23/4" 300 x 300 x 70mm



SMALL RECTANGLE 51/8 x 111/8 x 23/4" 150 x 300 x 70mm

SMALL RECTANGLE DRIVE FRIENDLY





### PRODUCT PAIRINGS



Pool & Wall Coping Pisa<sup>™</sup> Smooth See page 169





Steps

Pisa Smooth See page 169

 $\mathsf{SienaStone}^{\scriptscriptstyle{\mathsf{TM}}}\,\mathsf{Smooth}$ See page 185

## **BOTTOM** Cliffside Grey

### **CLASSIC**

## Windermere™ Flagstone











DUSK **NEW** 

CLIFFSIDE GREY

### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 14 x 21 x 2<sup>3</sup>/<sub>4</sub>" 360 x 540 x 70mm



SQUARE 14½ x 14½ x 2¾" 360 x 360 x 70mm



SMALL RECTANGLE 7 x 14 x 23/4" 180 x 360 x 70mm





### PRODUCT PAIRINGS



Pool & Wall Coping
Pisa™ Smooth
See page 169

Pisa Smooth See page 169



Steps

SienaStone<sup>™</sup> Smooth See page 185

**TOP** Granite Blend

**BOTTOM** Cliffside Grey with Charcoal accent

### **CLASSIC**

## Windermere™ Smooth









SAFARI **NEW** 

DUSK NEW



CHARCOAL Small Rectangle only

### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



GRANITE BLEND

LARGE RECTANGLE 14 x 21 x 2<sup>3</sup>/<sub>4</sub>" 360 x 540 x 70mm



SQUARE 14 x 14 x 2<sup>3</sup>/<sub>4</sub>" 360 x 360 x 70mm



SMALL RECTANGLE 7 x 14 x 2<sup>3</sup>/<sub>4</sub>" 180 x 360 x 70mm

**SMALL RECTANGLE** DRIVE FRIENDLY



7 x 14 x 2<sup>3</sup>/<sub>4</sub>" 180 x 360 x 70mm Charcoal only

Classic **Coat** 

Factory sealed to protect surface texture and color



### **CLASSIC**





### PRODUCT PAIRINGS



Pool & Wall Coping Pisa<sup>™</sup> Smooth See page 169

Pisa Smooth See page 169





Steps

 $\mathsf{SienaStone}^{\scriptscriptstyle{\mathsf{TM}}}\mathsf{Smooth}$ See page 185

#### TOP Dusk and Safari (mixed on site) with Charcoal accent

**BOTTOM** Safari with Copthorne® (Basalt)

# Metro<sup>™</sup>










SLABS PEDESTRIAN ONLY







17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 3<sup>7</sup>/<sub>8</sub>" 450 x 900 x 100mm

Ask us about our base stabilization systems for driveway installation

CHARCOAL

#### **NEW 3 UNIT RANDOM BUNDLE** DRIVE FRIENDLY



LARGE RECTANGLE 10 x 15 x 2<sup>3</sup>/<sub>4</sub>" 250 x 375 x 70mm



SQUARE 10 x 10 x 2<sup>3</sup>/<sub>4</sub>" 250 x 250 x 70mm



SMALL RECTANGLE 5 x 10 x 2<sup>3</sup>/<sub>4</sub>" 125 x 250 x 70mm



SMALL RECTANGLE Sold Separately Charcoal only





### PRODUCT PAIRINGS



Pool & Wall Coping Urban™ Coping See page 182



U-Cara® Smooth See page 159

See page 159

Walls

Steps U-Cara



### **ENDURACOLOR**

## Urban™








INDIANA BUFF

STERLING

### **SLABS** PEDESTRIAN ONLY



18 x 24 17<sup>3</sup>/<sub>4</sub> x 23<sup>5</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>8</sub>" 450 x 600 x 60mm



18 x 36 17<sup>3</sup>/<sub>4</sub> x35<sup>1</sup>/<sub>2</sub> x 3<sup>2</sup>/<sub>8</sub>" 450 x 900 x 60mm **New Thickness** 17<sup>3</sup>/<sub>4</sub> x35<sup>1</sup>/<sub>2</sub> x 4" 450 x 900 x 100mm

Ask us about our base stabilization systems for driveway installation

### **NEW 3 UNIT RANDOM BUNDLE** PEDESTRIAN ONLY





SQUARE 15 x 15 x 23/8" 380 x 380 x 60mm



SMALL RECTANGLE  $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm





## Urban<sup>™</sup> Allure New








LINEN GREY **NEW** 

PEDESTRIAN ONLY

LINEN BUFF **NEW** 



18 x 24 17<sup>3</sup>/<sub>4</sub> x 23<sup>5</sup>/<sub>8</sub> x 2<sup>3</sup>/<sub>8</sub>" 450 x 600 x 60mm



18 x 36 17<sup>3</sup>/<sub>4</sub> x 35<sup>1</sup>/<sub>2</sub> x 3<sup>2</sup>/<sub>8</sub>" 450 x 900 x 60mm



### **ENDURACOLOR**

## Skyline™







OPAL BLEND - SMOOTH PREMIER



GRENADA WHITE - UMBRIANO®

PEDESTRIAN ONLY



24 x 24 235% x 235% x 2" 600 x 600 x 50mm



**12 x 24** 117% x 235% x 2" 300 x 600 x 50mm

## Bristol Valley®



### PRODUCT PAIRINGS



Pool & Wall Coping

Beacon Hill™ Coping

See page 183

See page 184



Pool & Wall Coping
Universal



U-Cara® Pitched See page 159



ienaStone™S





**GRANITE FUSION** 

OAK BROWN FUSION

#### 3 UNIT RANDOM BUNDLE AVAILABLE IN BOTH 60MM & 80MM

60mm not suitable for vehicular applications. 80mm can handle vehicular loads.



LARGE RECTANGLE  $15 \times 22\frac{1}{2} \times 2^{3}\frac{1}{8}(3\frac{1}{8})$ "  $380 \times 570 \times 60(80)$  mm



SQUARE 15 x 15 x 2<sup>3</sup>/<sub>8</sub> (3½)" 380 x 380 x 60 (80) mm



SMALL RECTANGLE  $7\frac{1}{2} \times 15 \times 2\frac{3}{8} (3\frac{1}{8})$ "  $190 \times 380 \times 60 (80)$  mm

### **ENDURACOLOR**

### Artline™



### PRODUCT PAIRINGS



Pool & Wall Coping

Beacon Hill™ Coping See page 183



Walls

U-Cara<sup>®</sup> Smooth See page 159



Steps

SienaStone<sup>™</sup> Smooth See page 185







### 7 UNIT RANDOM BUNDLE DRIVE FRIENDLY



STERLING

41/8 x 75/8 x 31/8" 125 x 193 x 80mm



41/8 x 83/4 x 31/8" 125 x 219 x 80mm

GRANITE MIST



4% x 10% x 3%" 125 x 260 x 80mm

FOSSIL



4½ x 12 x 3½" 125 x 305 x 80mm



7½ x 8% x 3½" 187 x 225 x 80mm



7½ x 13¾ x 3½" 187 x 338 x 80mm



7½ x 17¾ x 3½" 187 x 450 x80mm

Color selection should be chosen from actual samples.

Granite Fusion with Copthorne\* (Basalt) accent

Color selection should be chosen from actual samples.

Granite Mist

### **CLASSIC**

### Brussels Block



PRODUCT PAIRINGS



Pool & Wall Coping Brussels Dimensional See page 170



Brussels Dimensional See page 170



See page 187













CHARCOAL XL, Standard and Fullnose only

**INDIVIDUAL UNITS** DRIVE FRIENDLY

SANDSTONE

MAHOGANY



XLSTONE 81/4 x 13<sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>" 208 x 348 x 70mm



STANDARD STONE 61/8 x 81/4 x 23/4" 173 x 208 x 70mm

COFFEE CREEK



**HALF STONE** 4 x 67/8 x 23/4" 104 x 173 x 70mm


LIMESTONE

### **FULLNOSE** COPING 51/8 x 111/8 x 23/4" 150 x 300 x 70mm

Antiqued Finish

### **CLASSIC**

### Treo® Smooth 🛮



PRODUCT PAIRINGS



Pool & Wall Coping

Pisa<sup>™</sup>Smooth See page 169



Walls

Pisa Smooth See page 169



Steps

SienaStone™Smooth See page 185





Color selection should be chosen from actual samples.

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY



LARGE RECTANGLE 91/4 x 133/4 x 31/8" 233 x 349 x 80mm



SQUARE 91/4 x 91/4 x 31/8" 233 x 233 x 80mm



SMALL RECTANGLE 45/8 x 91/4 x 31/8" 116 x 223 x 80mm



### CLASSIC

### Hollandstone™







CHARCOAL





NATURAL

SIERRA

INDIVIDUAL UNITS DRIVE FRIENDLY



3 1/8 x 7 1/8 x 2 3/8" 100 x 200 x 60mm



8 x 8 71/8 x 71/8 x 23/8" 200 x 200 x 60mm

### Not available in Sierra



### **ENDURACOLOR**

### Holland Premier™ New









GRANITE MIST

DARK CHARCOAL

OPAL BLEND

FOSSIL

### INDIVIDUAL UNIT DRIVE FRIENDLY

Color selection should be chosen from actual samples.



3 1/8 x 7 1/8 x 2 3/8" 100 x 200 x 60mm










### Mattoni™

Exclusive to UNILOCK



#### **ANTIQUED FINISH**







GRANITE BLEND

DARK CHARCOAL

SABLE BLEND

### **GRANITO BRUSHED FINISH**





See page 125 for

NOTTE

SCURO

### INDIVIDUAL UNIT DRIVE FRIENDLY



2<sup>3</sup>/<sub>8</sub> x 9<sup>1</sup>/<sub>2</sub> x 2<sup>3</sup>/<sub>4</sub>" 60 x 240 x 70mm





### PRODUCT PAIRINGS



Pool & Wall Coping Beacon Hill™ Coping See page 183



U-Cara® Smooth See page 159

 ${\sf SienaStone}^{\scriptscriptstyle{\mathsf{TM}}} {\sf Smooth}$ See page 185

Steps



Dark Charcoal and Granite Blend (mixed on site)

BOTTOM Sable Blend



### COLORFUSION™










### Exclusive to **UNILOCK**











SUMMER WHEAT

PRODUCT PAIRINGS

Pool & Wall Coping

U-Cara® Umbriano See page 159

Umbriano® See page 183

Walls

Steps

Natural Stone See page 187

GRENADA WHITE

WINTER MARVEL

FRENCH GREY



**3 UNIT RANDOM BUNDLE** AVAILABLE IN BOTH 60MM & 80MM

60mm not suitable for vehicular applications. 80mm can handle vehicular loads.



LARGE RECTANGLE  $14\frac{1}{4} \times 21\frac{1}{2} \times 2\frac{3}{8} (3\frac{1}{8})$ " 360 x 540 x 60 (80) mm



14½ x 14½ x 23% (3½)" 360 x 360 x 60 (80) mm



SMALL RECTANGLE 7 x 14½ x 2¾ (3½)" 180 x 360 x 60 (80) mm

#### INDIVIDUAL UNITS DRIVE FRIENDLY



 $7 \times 14 \times 2^{3/8} (3^{1/8})$ " 180 x 360 x 60 (80) mm



8 x 16 7 % x 15 3/4 x 23/4" 200 x 400 x 70mm



71/8 x 71/8 x 23/4" 200 x 200 x 70mm

See page 123 for additional finishes.

## **BOTTOM** Winter Marvel

Color selection should be chosen from actual samples.

Ask us about our base stabilization systems





### Exclusive to UNILOCK



COLORFUSION™ Subtly mottled color finish






SUMMER WHEAT

WINTER MARVEL

GRENADA WHITE





FRENCH GREY

MIDNIGHT SKY 8 x 24 and 18 x 36" only

### PEDESTRIAN ONLY



8 x 24 71/8 x 235/8 x 23/4" 200 x 600 x 70mm



12 x 24 11 1/8 x 23 5/8 x 23/4" 300 x 600 x 70mm



16 x 16 15 <sup>3</sup>/<sub>4</sub> x 15 <sup>3</sup>/<sub>4</sub> x 2<sup>3</sup>/<sub>4</sub>" 400 x 400 x 70mm



New 18 x 36  $17\frac{3}{4} \times 35\frac{1}{2} \times 2\frac{3}{8}$ " 450 x 900 x 60mm



18 x 36  $17\frac{3}{4} \times 35\frac{1}{2} \times 3\frac{7}{8}$ " 450 x 900 x 100mm



36 x 36 35½ x 35½ x 3¾" 900 x 900 x 100mm








### Revela™



Enhanced Surface







FROST

METALLIC GREY

SAVANNAH

### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



LARGE RECTANGLE 141/4 x 211/4 x 31/8" 360 x 540 x 80mm



SQUARE 141/4 x 141/4 x 31/8" 360 x 360 x 80mm



4 x 12 DRIVE FRIENDLY

SMALL RECTANGLE 7 x 141/4 x 31/8" 180 x 360 x 80mm




21½ x 35½ x 2¾" 540 x 900 x 60mm

### SLAB PEDESTRIAN ONLY



31/8 x 111/8 x 4" 100 x 300 x 100mm

Metallic Grey Only



PRODUCT PAIRINGS



Pool & Wall Coping

Beacon Hill™ Coping See page 183



U-Cara® Pitched See page 159



Walls

U-Cara Smooth See page 159



Steps

 $\mathsf{SienaStone}^{\scriptscriptstyle\mathsf{TM}}\,\mathsf{Smooth}$ See page 185

Frost with Copthorne® (Basalt) accent

**BOTTOM** Metallic Grey



Summer Wheat (Umbriano Finish)

**BOTTOM** Scuro (Granito Finish) with Beacon Hill™ Smooth (Opal Blend) pavers

### **ENDURACOLOR**





### Нех™




8 x 8 7½ x 7½ x 2¾" 200 x 200 x 70mm


UMBRIANO FINISH DRIVE FRIENDLY

ColorFusion™

See page 117-119 for additional shapes








SUMMER WHEAT

SABIA


WINTER MARVEL

FRENCH GREY

GRANITO™ FINISH DRIVE FRIENDLY



Artista™





NOTTE

SCURO



Granito (Sabia Hex) with Copthorne® (Basalt) border and U-Cara® Smooth (Granite Mist) wall

### PRODUCT PAIRINGS



Pool & Wall Coping Umbriano® See page 183



U-Cara® Umbriano See page 159

Walls

Steps Natural Stone See page 187



### ENDURACOLOR\*








### Granito<sup>™</sup>

### Exclusive to **UNILOCK**









NOTTE SABIA 3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY

FLAGSTONE TEXTURE




LARGE RECTANGLE 14 x 21 x 2<sup>3</sup>/<sub>8</sub>" 360 x 540 x 60mm





SCURO

SMALL RECTANGLE  $7 \times 14 \times 2^{3}/8$ " 180 x 360 x 60mm







NOTTE

See page 123 for additional finishes

**HEX UNIT** DRIVE FRIENDLY

SMOOTH TEXTURE



8 x 8  $7\frac{7}{8} \times 7\frac{7}{8} \times 2\frac{3}{4}$ " 200 x 200 x 70mm

with Ledgestone<sup>™</sup> (Buff) coping

**BOTTOM** Granito (Notte Hex)











### Granito<sup>™</sup> Mix






NOTTE BLEND

Exclusive to **UNILOCK** 

3 FINISH MIXED BUNDLE DRIVE FRIENDLY





7 x 14 x 31/8" 180 x 360 x 80mm



7 x 14 x 31/8" 180 x 360 x 80mm



### **ENDURACOLOR**





### Promenade<sup>™</sup> EcoTerra New





LIGHT STEEL GREY BLEND

LIGHT OPAL BLEND


INDIVIDUAL UNIT DRIVE FRIENDLY

Enhanced Surface



100 x 300 x 70mm

Light Steel Grey Blend





### PRODUCT PAIRINGS



Pool & Wall Coping Beacon Hill™ Coping See page 183



U-Cara<sup>®</sup> Pitched See page 159



U-Cara Smooth See page 159

Steps



SienaStone™Smooth See page 185

Opal Blend, Steel Grey Blend, Granite Blend and Black Granite with Beacon  $\mathsf{Hill}^{^{\mathsf{m}}}$ Slab (Opal Blend) banding

**BOTTOM** Opal Blend, Steel Grey Blend, Granite Blend and Black Granite

### **ENDURACOLOR**

### Promenade<sup>\*\*</sup>



**SMOOTH FINISH** DRIVE FRIENDLY







OPAL BLEND

8 x 24

71/8 x 235/8 x 4" 200 x 600 x 100mm

4 x 16 31/8 x 153/4 x 4" 100 x 400 x 100mm

4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm

Brushed Finish

IL CAMPO FINISH DRIVE FRIENDLY





LIGHT GREY

GRANITE BLEND

DARK CHARCOAL



8 x 24 71/8 x 235/8 x 4" 200 x 600 x 100mm



4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm

See page 130 for additional shapes.

Exposed Granite



SERIES FINISH DRIVE FRIENDLY

8 x 24 71/8 x 235/8 x 4" 200 x 600 x 100mm



4 x 12 37/8x 117/8 x 4" 100 x 300 x 100mm

BLACK GRANITE See page 131 for additional shapes.



### Exclusive to **UNILOCK**

## Il Campo<sup>®</sup>



Brushed Finish









DARK CHARCOAL

**GRANITE BLEND** 

LIGHT GREY

SANDSTONE

### 70MM & 80MM DRIVE FRIENDLY



4 x 8 31/8 x 71/8 x 23/4" 100 x 200 x 70mm Dark Charcoal only



7 x 14 7 x 141/4 x 31/8" 180 x 360 x 80mm



8 x 16 71/8 x 153/4 x 23/4" 200 x 400 x 70mm All Colors

See page 129 for additional finishes.

100MM DRIVE FRIENDLY



71/8 x 235/8 x 4" 200 x 600 x 100mm Not available in Sandstone



4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm Not available in Sandstone



### **ENDURACOLOR**

## Series™



**Exposed Granite** 









**BLACK GRANITE** 

MOUNTAIN MIST

GLACIER

70MM & 80MM DRIVE FRIENDLY



4 x 8  $3\% \times 7\% \times 2\%$ 100 x 200 x 70mm Black Granite only

8 x 24




8 x 8 71/8 x 71/8 x 23/4" 200 x 200 x 70mm All Colors



8 x 16 71/8 x 153/4 x 23/4" 200 x 400 x 70mm All Colors

100MM DRIVE FRIENDLY




4 x 12 31/8 x 111/8 x 4" 100 x 300 x 100mm Black Granite only

See page 129 for additional finishes.











OPAL BLEND

STEEL GREY BLEND

RECTANGLE PERMEABLE DRIVE FRIENDLY



5 x 10 4<sup>3</sup>/<sub>4</sub> x 9<sup>1</sup>/<sub>2</sub> x 3<sup>1</sup>/<sub>8</sub>" 120 x 240 x 80mm



### **ENDURACOLOR**

Eco-Promenade®





OPAL BLEND

RECTANGLE PERMEABLE DRIVE FRIENDLY



3 x 12 3 x 11% x 4" 75 x 300 x 100mm

Color selection should be chosen from actual samples.

Color selection should be chosen from actual samples.

Opal Blend with Custom accent





### Tribeca Cobble®







CRYSTALLINE BASALT

PEPPERED GRANITE

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY

Exposed Granite



LARGE RECTANGLE  $5 \times 12 \times 2^{3}/4$ "  $130 \times 305 \times 70$ mm



MEDIUM RECTANGLE 5 x 9 x 2<sup>3</sup>/<sub>4</sub>" 130 x 230 x 70mm




SMALL RECTANGLE  $5 \times 6\frac{7}{8} \times 2\frac{3}{4}$ "  $130 \times 175 \times 70$  mm



### **ENDURACOLOR**\*

### Nordic Cobble<sup>™</sup> •







OPAL BLEND **NEW** 

GRANITE MIST **NEW** 

DARK CHARCOAL **NEW** 

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



TRAPEZOID 35/8 x 33/4 x 23/8" 89.9 x 94 x 60mm

Color selection should be chosen from actual samples.

Crystalline Basalt with Peppered Granite accent

Color selection should be chosen from actual samples.







Suitable for wood deck and concrete overlays.











TRAVSTONE BEIGE GRAUSTEIN DELCONCA USA CAESAR



24 x 24 235/8 x 235/8 x 3/4" 600 x 600 x 20mm



### 16 x 32 PEDESTRIAN ONLY



UNILOCK COSMIC GREY



UNILOCK DOVE GREY TRAVERTINE




TRAVSTONE BEIGE DELCONCA USA




16 x 32 15<sup>3</sup>/<sub>4</sub> x 31<sup>1</sup>/<sub>2</sub> x <sup>3</sup>/<sub>4</sub>" 400 x 800 x 20mm

**BOTTOM** Unilock Grey Travertine







LEFT Stone Cliff Grey RIGHT Castle Grey

### Natural Stone

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.



### SANDSTONE & LIMESTONE PEDESTRIAN ONLY







GREYFIELD SANDSTONE

INDIAN COAST SANDSTONE

IVORY SAND SANDSTONE





LIMESTONE

STONE CLIFF GREY SANDSTONE

BLACK RIVER

11% x 235/8 x 7/8" 300 x 600 x 22mm



24 x 24 235% x 235% x 7%" 600 x 600 x 22mm



GRANITE PEDESTRIAN ONLY







BLACK OYSTER

CASTLE GREY

GALAXY FROST



11% x 235% x 1 or 2" 300 x 600 x 25mm or 50mm

24 x 24  $23\frac{5}{8} \times 23\frac{5}{8} \times 1 \text{ or } 2$ " 600 x 600 x 25mm or 50mm

**12 x 36** 11<sup>7</sup>/<sub>8</sub> x 35<sup>1</sup>/<sub>2</sub> x 2" 300 x 900 x 50mm

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

# Richcliff®

EXCLUSIVE TO UNILOCK

Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects.

A multitude of stone textures were cast using Reala™ Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.

















Exclusive to **UNILOCK** 











SMOKE SHALE

DAWN MIST

PEBBLE TAUPE

PEBBLE TAUPE / DAWN MIST Blended on Site

### 3 UNIT RANDOM BUNDLE DRIVE FRIENDLY



RECTANGLE  $8\% \times 11\% \times 2\%$ " 226 x 300 x 60mm



SQUARE  $8\% \times 8\% \times 2\%$ " 226 x 226 x 60mm



SMALL RECTANGLE 5% x 8% x 23/8" 150 x 226 x 60mm

#### LARGE RECTANGLE PEDESTRIAN ONLY







### PRODUCT PAIRINGS



Umbriano See page 183

Pool & Wall Coping



U-Cara® Smooth See page 159



Walls U-Cara Umbriano® See page 159



Steps Natural Stone See page 187

Dawn Mist and Pebble Taupe (mixed on site) Dawn Mist and Pebble Taupe (mixed on site)







Cast from European cobblestones

 $\mathsf{REALA}^{\scriptscriptstyle\mathsf{TM}}$ 





Up to 4x stronger than poured-in-place concrete



Exclusive to UNILOCK





BASALT

# 5 UNIT RANDOM BUNDLE DRIVE FRIENDLY



XL Rectangle 51/8 x 83/8 x 23/8" 130 x 215 x 60mm

RECTANGLE

51/8 x 61/2 x 23/8"

130 x 165 x 60mm



LARGE RECTANGLE  $5\frac{1}{8} \times 7\frac{1}{4} \times 2\frac{3}{8}$ " 130 x 185 x 60mm



SMALL RECTANGLE  $5\frac{1}{8} \times 5\frac{3}{4} \times 2\frac{3}{8}$ " 130 x 145 x 60mm



SQUARE 51/8 x 51/8 x 23/8" 130 x 130 x 60mm





## PRODUCT PAIRINGS



Umbriano® See page 183

Pool & Wall Coping



U-Cara® Smooth See page 159



U-Cara Umbriano See page 159



# Steps

Natural Stone See page 187

**BOTTOM** Basalt with Umbriano® (Summer Wheat)


















Exclusive to UNILOCK









BURGUNDY RED



3 COLOR BLEND Blended on Site



BASALT

BURNT CLAY





## PRODUCT PAIRINGS



Umbriano® See page 183

Pool & Wall Coping



U-Cara® Smooth See page 159



U-Cara Umbriano See page 159


Walls

Steps Natural Stone See page 187



INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY





153





Up to 4x stronger than poured-in-place concrete









# Copthorne

# Exclusive to UNILOCK











BASALT

3 COLOR BLEND Blended on Site



INDIVIDUAL UNIT DRIVE FRIENDLY

25/8 x 71/8 x 23/8"

65 x 200 x 60mm









ARCTIC GREY **NEW** 

BURNT CLAY

STEEL BLUE



3 COLOR GREY BLEND Blended on Site

PRODUCT PAIRINGS



## Pool & Wall Coping

See page 183



U-Cara® Smooth See page 159



Walls U-Cara Umbriano See page 159



Steps

Natural Stone See page 187

TOP 3 Color Grey Blend

**BOTTOM** 3 Color Blend with Basalt accent and Beacon Hill™ Smooth (Granite Mist)

155





# Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits.



# NEW PANELS COMING SOON

## **COMING SOON SUBWAY PANEL**






CHARCOAL

### **COMING SOON LAVANO PANEL**





**FOSSIL GRANITE MIST** 

### **COMING SOON NEOLINE PANEL**





INDIANA BUFF STERLING

# U-Cara® Multi-Face Wall System



2019

U-Cara received the "red dot" award for high design quality and innovation.

This patented wall system, exclusive to Unilock, represents a revolution in wall design. With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more.

# FASCIA PANELS



## **SMOOTH PANEL**









STERLING

FOSSIL



**UMBRIANO PANEL** 

LINEN BUFF **NEW** 



ALMOND GROVE





ALMOND GROVE

WINTER MARVEL





MIDNIGHT SKY

**PITCHED PANEL** 

**GRANITE MIST** 

**SERIES 3" PANEL** 



BLACK GRANITE

Color selection should be chosen from actual samples. Top photo: Almond Grove Smooth and Pitched





Winter Marvel Umbriano with Umbriano (French Grey) pavers and Umbriano coping

Opal Blend Smooth with Granite Mist Pitched accent

RIGHT Dark Charcoal Smooth



# **ENDURACOLOR**

# U-Cara® Multi-Face Wall System







**BACKER BLOCKS** 



UNIVERSAL **BASE UNIT** 482 x 355 x 55mm



SURETRACK



SURETRACK LARGE BACKER 150 x 175 x 300mm



SURETRACK **CORNER INSERT** L = 2"



6" STANDARD FASCIA



5% x 183/8 x 23/8" 150 x 466 x 60mm 3" SERIES PANEL



21/8 x 9 x 23/8" 71 x 231 x 60 mm

## 2 UNIT CORNER BUNDLE



FASCIA PANEL  $5\% \times 20\% \times 2\%$ " 150 x 530 x 60mm



STANDARD FASCIA HALF PANEL 51/8 x 91/4 x 23/8"

150 x 233 x 60mm





SMOOTH





**UMBRIANO COPING** 









UNIVERSAL COPING

LAVANO

NEOLINE

# 5 COPING

## BEACON HILL™ COPING







SUBWAY



**URBAN/URBAN ALLURE COPING** 


SEE PAGE 184 SEE PAGE 182

SEE PAGE 183

SEE PAGE 183


# U-Cara<sup>\*</sup> Modular System

Our U-Cara Modular System offers a variety of aluminium frames that can be mixed and matched to construct vertical features like grill islands, fire features and pillars.











Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

# U-Cara Wall Mount System


The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures with U-Cara fascia panels.







Ideal for garden sheds, wing walls, exposed foundation, existing steps or concrete and wood substrates.





## PRODUCT PAIRINGS



Paver

Metro<sup>™</sup> Smooth See page 103



Pool & Wall Coping

Universal See page 184



**Steps** SienaStone<sup>™</sup> Smooth See page 185

# **CLASSIC**

# Lineo<sup>®</sup> Dimensional Stone









DUSK GRANITE BLEND

## **4 UNIT RANDOM BUNDLE**



SAFARI

4 x 24 x 8" 4 x 20 x 8" 100 x 600 x 200mm 100 x 500 x 200mm





100 x 400 x 200mm



CHARCOAL

4 x 12 x 8" 100 x 300 x 200mm



PILLAR / CORNER 4 x 16 x 8" 100 x 400 x 200mm



**U-GRIP™ BASE PAD** 14 x 19 x 2" 355 x 482 x 55mm


P Granite Blend with Mattoni™ (Dark Charcoal) accent and Beacon Hill™ Smooth (Granite Mist)

**BOTTOM** Granite Blend and Charcoal accent with Artline™ (Fossil) pavers and Natural Stone (Black river) coping

REALA™

natural stone







## PRODUCT PAIRINGS



Page 141



Pool & Wall Coping

Ledgestone™ See page 186



Steps

Rivercrest with Ledgestone coping Page 186

## Coastal Slate with Copthorne® (Basalt) accent and Umbriano® (Winter Marvel) pavers

**BOTTOM** Coastal Slate with Natural Stone (Black River) coping

# Rivercrest Wall



COASTAL SLATE

BUFF

#### **4 UNIT RANDOM BUNDLE**



STANDARD UNIT 1 8 x 9-10 x 21/4" 200 x 230-250 x 57mm



STANDARD UNIT 2 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 3 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 4 17 x 9-10 x 21/4" 425 x 230-250 x 57mm

## 2 UNIT CORNER BUNDLE



LONG CORNER UNIT 17½ x 9-10 x 2¼" 450 x 230-250 x 57mm



SHORT CORNER UNIT 14½ x 9-10 x 2¼" 375 x 230-250 x 57mm





# PRODUCT PAIRINGS



Paver
Windermere™ Smooth
See page 101



Pool & Wall Coping
Pisa™ Smooth
See page 169



**Steps** SienaStone<sup>™</sup> Smooth See page 185

Granite Blend with Universal Coping (Light Grey) and Natural Stone (Black River) pillar cap

**BOTTOM** Granite Blend with Universal Coping (Charcoal)

# **CLASSIC**

# Pisa Smooth<sup>™</sup>










SAFARI **NEW** 

CHARCOAL **NEW** 



DUSK **NEW** 



GRANITE BLEND CLIFFSIDE GREY







**COPING**13% x 21<sup>3</sup>/<sub>4</sub> x 3<sup>3</sup>/<sub>8</sub>"
350 x 550 x 85mm



PILLAR 10% x 21¾ x 3¾ " 275 x 550 x 85mm



**U-GRIP™ BASE PAD** 14 x 19 x 2" 355 x 482 x 55mm



JUMPER STANDARD/ CORNER 107/8 x 213/4 x 62/3" 275 x 550 x 170mm

# **CLASSIC**

# Brussels Dimensional Stone



PRODUCT PAIRINGS



Brussels Block® See page 64



Pool & Wall Coping Brussels Fullnose™ See page 64



Pool & Wall Coping





Steps  $\mathsf{SienaStone}^{\scriptscriptstyle{\mathsf{TM}}}\,\mathsf{Smooth}$ 





SANDSTONE COFFEE CREEK



MAHOGANY



LIMESTONE



CHARCOAL



**STANDARD** 12 x 4 x 8" 300 x 100 x 200mm



U-GRIP™ BASE PAD 14 x 19 x 2" 355 x 482 x 55mm




**SUNSET FIREPIT KITS** 



# **CLASSIC**

# Pisa™



## PRODUCT PAIRINGS



Paver Hollandstone™ See page 112



Pool & Wall Coping





Steps

SienaStone™ See page 185



GRANITE



MAHOGANY

**STANDARD** 8 x 12 x 6" 200 x 300 x 150mm

Color selection should be chosen from actual samples.



**TAPERED** 8 x 12 x 6" 200 x 300 x 150mm




**CORNER** 8 x 12 x 6" 200 x 300 x 150mm

SIERRA



NATURAL

24" COPING  $12 \times 24 \times 3$ " 300 x 600 x 75mm



U-GRIP™ BASE PAD 14 x 19 x 2" 355 x 482 x 55mm

171

Color selection should be chosen from actual samples.

Sandstone with Brussels Fullnose Sandstone coping

Available in Coffee Creek, Mahogany and Sandstone





# **CLASSIC**

# SienaStone<sup>®</sup>













**STANDARD 925** 37½ x 47¼ x 7¼" 925 x 1200 x 185mm



**STANDARD 500** 20 x 471/4 x 71/4" 500 x 1200 x 185mm



CORNER 45° (LEFT & RIGHT)

20 x 431/3 x 71/4"

500 x 1100 x 185mm


**STANDARD 333** 13 x 471/4 x 71/4" 333 x 1200 x 185mm



**CORNER 90°** (LEFT & RIGHT) 20 x 431/3 x 71/4" 500 x 1100 x 185mm



COPING 20 x 471/4 x 71/4" 500 x 1200 x 185mm



# **CLASSIC**

# SienaStone Smooth



STANDARD 375

375 x 1200 x 180mm

14<sup>3</sup>/<sub>4</sub> x 47<sup>1</sup>/<sub>4</sub> x 7"





GRANITE BLEND





SAFARI

**CORNER 375** 

375 x 975 x 180mm

14<sup>3</sup>/<sub>4</sub> x 38<sup>3</sup>/<sub>8</sub> x 7"



COPING 383 15 x 471/4 x 7" 383 x 1200 x 180mm

**CLOSED-END COPING 383** 15 x 471/4 x 7" 383 x 1200 x 180mm

Color selection should be chosen from actual samples. Color selection should be chosen from actual samples. Granite Blend


# Firepits and Fire Features

Imagine flames crackling on a cool night, curling up under the stars with friends and family, and sipping a warm cup of hot chocolate. Soak up that sense of bliss from your backyard with a Unilock firepit!









### **HEAT DAMAGE PREVENTION**

To ensure a long-lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

**NOTE:** Large fires and extreme heat are detrimental to concrete.

## **SUNSET FIREPIT KIT**



## **FIREPIT INSERT**

Firepit kit comes with a firepit insert (sold separately) that fits securely into the firepit.

# UNILOCK REDUCED SMOKE INSERT

# ZENTRO TECHNOLOGY FIREPIT INSERT AVAILABLE FOR ALL FIREPIT KITS.

There's nothing like relaxing around a roaring fire to bring family and friends closer together. But with ordinary firepits, smoke always blows in someone's face - usually yours. With Unilock Reduced Smoke Inserts, stinging eyes are a thing of the past. Zentro's patent-pending technology reburns smoke before it gets anywhere near your eyes. Say hello to good times and goodbye to smoke.





# Outdoor Kitchens

There's nothing more fun than cooking al fresco. An outdoor kitchen is an entire, defined space dedicated to preparing meals among family and friends, but with a much livelier backdrop!





Learn about things to consider when designing your outdoor kitchen.









# **Design Considerations**

Think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather in the elements over time.







From a practical side, an outdoor kitchen is an extension of your home's living and entertaining space, allowing you to make the most of your backyard.

# Water Features & Pillars

From fountains and ponds, to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.









Elevate your outdoor space to new heights by incorporating pillars into your design. With varying heights and functions, pillars create a sense of permanence and strength while also adding visual flair. Take it a step further by incorporating landscape lighting into your pillars to set the mood at night.

# Creative Ideas


The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!



This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill™ Smooth and Universal Coping treads.









# Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.


Exclusive to **UNILOCK** 

# Urban™ Coping

## ENDURACOLOR®



INDIANA BUFF



STERLING



DARK CHARCOAL **NEW** 










# Urban Allure Coping New



# **ENDURACOLOR**









LINEN BUFF

**CHAMFERED** 19 x 35½ x 23/8" 485 x 900 x 60mm



**BULLNOSE** 19 x 35½ x 23/8" 485 x 900 x 60mm



# Umbriano Coping









WINTER MARVEL






SUMMER WHEAT





FRENCH GREY





CHAMFERED 14 x 24 x 2<sup>3</sup>/<sub>8</sub>" 360 x 600 x 60mm

# Beacon Hill™ Coping

# **ENDURACOLOR**



ALMOND GROVE



**GRANITE MIST** 









FOSSIL OPAL BLEND



 $14 \times 24 \times 2^{3/8}$ " 360 x 600 x 60mm

# Universal Coping

## **ENDURACOLOR**





DARK CHARCOAL



LIGHT GREY

**COPING/STEP** 14 x 19 x 2<sup>3</sup>/<sub>4</sub>" 355 x 482 x 70mm



# Pisa™ Smooth Coping











GRANITE BLEND

DUSK **NEW** SAF

SAFARI **NEW** 

CHARCOAL **NEW** 



CLIFFSIDE GREY

**COPING** 137/8 x 21<sup>3</sup>/4 x 3<sup>3</sup>/8" 350 x 550 x 85mm

# Pisa Coping









GRANITE MAHOGANY

**24" COPING** 11% x 235% x 3" 300 x 600 x 75mm

# SienaStone™ Smooth Step







GRANITE BLEND

DUSK

SAFARI





CLIFFSIDE GREY

CHARCOAL







**72" STEP** 20 x 70<sup>3</sup>/<sub>4</sub> x 7" 500 x 1800 x 180mm

Not available in Cliffside Grey

**NOTE**: 2 Edge details available on the same unit (Chamfer and Rounded) Contact a Unilock representative for more information.

# SienaStone Step







GRANITE

MAHOGANY

NATURAL



**48" STEP** 19<sup>3</sup>/<sub>4</sub> x 47<sup>1</sup>/<sub>4</sub> x 7<sup>3</sup>/<sub>8</sub>" 500 x 1200 x 185mm

# Ledgestone™ Coping & Step

## STONEMARK\*

# SPECIAL ORDER PRODUCT







**COPING**12 x 24 x 2<sup>3</sup>/<sub>4</sub>"
305 x 610 x 70mm

REALA™ Cast from natural stone



CLOSED END COPING 12 x 24 x 2<sup>3</sup>/<sub>4</sub>" 305 x 610 x 70mm

GREY



**FULLNOSE COPING** 12 x 24 x 23%" 305 x 610 x 60mm



**48" STEP**24 x 48 x 6"
610 x 1220 x 150mm
While quantities last





# Natural Stone

# Coping & Steps

#### AVAILABLE IN BOTH ROCK FACE AND SMOOTH





INDIAN COAST SANDSTONE

IVORY SAND SANDSTONE

GREYFIELD SANDSTONE

#### AVAILABLE IN ROCK FACE ONLY





STONE CLIFF GREY SANDSTONE

BLACK RIVER LIMESTONE









**48" LENGTH** 14 x 48 x 2" 360 x 1200 x 50mm

**72" LENGTH** 14 x 72 x 2" 1830 x 360x 50mm

**48" LENGTH** 16 x 471/4 x 6" 400 x 1200 x 150mm

**72" LENGTH** 16 x 70<sup>3</sup>/<sub>4</sub> x 6" 400 x 1800 x 150mm








# Learn & Plan

Nothing ventured, nothing gained! Transform your hardscape ideas into bold, thrilling reality with the right help, knowledge and preparation. Unilock has the experts, the plans and the tools you need to succeed!





# UNILOCK Outdoor Idea Center

# See

An expansive display of Unilock products in a life-size outdoor setting

# **Talk**

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

# Take

**FREE samples** of Unilock paver and wall products home with you.

Come visit us in Georgetown Ontario



and a 3D virtual tour!

Scan here for more information

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.







**3D Rendering** Created with Uvision® 3D Design Software



Finished Project

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Connect with us online or by phone to find a qualified contractor who can prepare a 3D design for your project!

Your one-stop shop for a wide variety of resources to help you kick-start your hardscape project, the Unilock way!

# Resources at Unilock.com

Throughout your project journey we know you'll have lots of questions, and our website has answers. From the hundreds of topics covered in our Knowledge Center, to design advice and inspiration, we're here to help far beyond your selection of Unilock products. We can even help you connect with a local installation contractor you can trust. Connect with us online or at 1-800-UNILOCK.



## Knowledge Center



Design Advice




Unilock Authorized Contractors



Frequently Asked Ouestions



# Protect your Investment



# Spring

While the majority of Unilock products require little maintenance, there are a number of preventative steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.

Examine for "creep" – this is where pavers push out as a result of winter stress, traffic or edge restraint failure – as well as dips, deformations or stains. Should you discover any of these problems, they are fixable; speak to your contractor or reach out to us for solutions. Wash your paver surface with a simple soap and water solution and top up jointing material if necessary.

# Fall •

While the leaves changing colors in the fall is a beautiful sight, the stains they leave behind on pavers can be an eyesore. Clean any debris, and remove any planters, barbecues or furniture that may leave behind rust marks.



# Winter **₩**

Metal blades on plows or shovels may scratch the surface of your pavers. It is recommended you use plastic shovels or protective plastic blades on your plows or snow blowers. Although Unilock products are resistant to de-icing salt, it is strongly advised to use calcium-based products or rock salt (sodium chloride) to melt ice.

**Note:** Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the surface of pavers.

## STOP WEEDS BEFORE THEY TAKE ROOT

Weeds do not grow up from the soil below. Instead, dirt and weed seeds blow in from adjacent lawn and garden areas and may germinate in between the joints. Keeping the joint sand topped up near the surface will help the weed seeds to blow over the joint and not into the joint.

**IN THE PAST** - Basic sand was the only jointing material available. Rain would erode the sand if it wasn't replaced frequently, leaving parts open to vegetation growth.

**TODAY** - There are new types of sand-stabilizing compounds and polymeric jointing materials that relieve homeowners of this maintenance worry.

# Finding the Right Fit

Even the best materials can be spoiled by subpar installation and craftsmanship, which is why choosing the right contractor for the job is the most crucial decision for your project. Remember that the cheapest quote is rarely the best option, so make sure to ask the right questions.





# NEED HELP FINDING A OUALIFIED CONTRACTOR?

Unilock Authorized Contractors have met our exacting standards for installation methods and business practices. Connect with us online, by phone or at one of our locations and we'll be happy to connect you with a contractor in your area who is guaranteed to do the job right.



Register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.

# 8 Tips for Choosing a Contractor



## 1 WORKMANSHIP

Ask to see completed projects from more than two years ago to see how their work holds up.

Are the curves of the project cut in a way that minimizes large gaps? Are small or awkward cuts minimized?

Have edge restraints been used and are they still in place?

How long does the contractor guarantee their work?

Has there been a warranty claim filed against the company in the past two years?

#### 2 SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask how these sub-contractors will be managed or vetted.



Scan here for a Project Planning Guide and helpful Contractor Checklist.

## **3 EXPERIENCE**

How long has the contractor been installing pavers and walls?

Has the contractor installed projects in the past with the features you're considering?

## **4 PREPARATION**

What are the contractor's base preparation methods?

What materials are used and why?

Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

#### 5 SCHEDULE

How far in advance are projects being booked and how long might your project take?

What are the contractor's payment terms?

Do they require a deposit upfront to secure the timing of the project?

### **6 DOCUMENTATION**

Does the contractor have the proper licensing for their work?

Does the contractor have liability insurance and are employees covered by Workers Compensation?

Will permits be required for the job and if so, who is responsible to secure them?

### **7 COMPATIBILITY**

Do you like this contractor? Can you trust them? Can you easily communicate and understand each other?

Will the person you're meeting be on site throughout the project or will someone else be your day-to-day point of contact?

Contact references to help understand how your contractor will operate throughout a project.

## 8 DESIGN

Do they offer a design service? What is the cost for this?

Do they offer hand-drawn or 3D-rendered concept designs?

Are the contractor's designs something you would like for your project?

# Time to Break Ground



### 1 EXCAVATION

All outdoor projects should begin with the removal of grass and topsoil. The depth will be determined by two things:

- 1. **Soil Type** Sandier soil requires less excavation than clay-based soil.
- **2. Use** Patios and walkways, which take lighter loads should require less excavation than driveways and retaining walls, which require deeper excavation.

Depth of excavation can be reduced significantly if a layer of DriveGrid is placed at the bottom of the excavation before gravel gets placed. Loose subsoil should always be compacted prior to installing DriveGrid and gravel.



Learn about frequently used terms in the hardscape industry.

#### **2 GRAVEL BASE**

A gravel base is placed into the excavated area. Ideally, this gravel base will need to be:

- > Strong enough to support the weight of anything placed on the surface.
- > **Free draining** to allow water to escape the base and enter the subsoil. A perforated drain pipe in the gravel base may be necessary for retaining walls in order to direct water away from the wall's base.
- > **Extended** at least 6" (150mm) beyond the finished paver surface's edges.
- > **Compacted** in several layers, using the proper equipment.

#### **3 BEDDING LAYER**

On top of the firm gravel base, a 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed. This layer enables the levelling or sloping of paver or wall units for drainage and smoothness.

Some contractors may recommend a poured concrete surface over a standard bedding layer, which is acceptable if the concrete is carefully poured and rests on a solid, well-drained base.

Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.



## **4 RESTRAINT SYSTEM**

To prevent pavers from shifting, a concrete edge will be constructed or an edge restraint fixed with long metal spikes. For walls, adhesive can be used to secure rows of blocks together. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

#### **5 JOINT MATERIAL**

There are three types of joint material to choose from:

**Basic Jointing Sand** – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you decide to choose basic sand, we advise using a joint stabilizing sealant and be ready to top up the sand as necessary.

**Polymeric Sand** - This special sand is blended with a binding ingredient to help it stay in place longer. Check with your local Unilock Dealer for the best jointing sand/compound for your project.

**Resin Sand** – Resin sands are the strongest jointing sand available, and have been proven to have the longest lifespan of any jointing sand. Different resin sands are available for various uses.

## **6 SEALING**


Unilock pavers will be durable with or without a sealer. Some homeowners may choose to apply a sealer to enhance paver color, while others choose to appreciate the color of the pavers as they are. If you decide to seal, be prepared to re-seal your pavers every 3-5 years.

## **Factory-Sealed Products**


Elegance® pavers and Unilock® pavers manufactured with EasyClean® have been pre-sealed at the factory.

To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you wish to re-seal, wait a minimum of three years before applying sealant. Use only solvent-based sealants on factory-sealed products.

### PAVER CONSTRUCTION




### WALL CONSTRUCTION




A proper base ensures that your pavers and walls won't shift during freeze/thaw cycles.

# The Choice of Design Professionals

For decades, architects, landscape architects, and engineers have used the same Unilock products that are available to homeowners to design world-class commercial spaces across North America.





Indianapolis Motor Speedway, Indianapolis, IN Designer: Browning Day Mullins Dierdorf







White Plains Public Library, White Plains, NY Designer: IQ Landscape Architects

# Our Quality Commitment





Visit Unilock.com to register for your Transferable Lifetime Guarantee.

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

#### LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock

Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

**EXCLUSIONS** - Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. While EasyClean helps to increase a paver's resistance to staining from various substances, it does not make our products stain-proof nor does it resist every kind of stain. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

#### MAINTENANCE ADVISORY

#### 1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market.

Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

### 2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it

is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

#### **COLOR ADVISORY**

#### 1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. Note: Unilock Natural Stone variations are outside the control of Unilock, Purchasers of natural stone must be willing to accept this inherent variability.

#### 2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

#### 3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

#### 4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

## INSTALLATION ADVISORY

#### 1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of

pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

#### 2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

#### 3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

#### FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.

# Index

## **PAVERS**

Artline™	109
Beacon Hill Smooth	91
Beacon Hill Smooth Slab	93
Beacon Hill™ Flagstone	95
Bristol Valley®	108
Brussels Block®	110
Copthorne®	153
Courtstone®	145
Eco-Priora™ Premier	132
Eco-Promenade®	133
Granito™	125
Granito Mix	126
Hex <sup>™</sup>	123
Hollandstone <sup>™</sup>	112
Holland Premier™	113
II Campo <sup>®</sup>	130
Mattoni™	115
Metro™	103
Natural Stone	139
Nordic Cobble <sup>™</sup>	135
Northshore <sup>™</sup>	97
Porcelain Tile	137
Promenade EcoTerra <sup>™</sup>	127
Promenade™	129
Revela <sup>™</sup>	121
Richcliff®	141
Series <sup>™</sup>	131
Skyline <sup>™</sup>	107
Town Hall <sup>®</sup>	149
Treo® Smooth	111
Tribeca Cobble™	134
Umbriano®	117
Umbriano Slab	119
Urban <sup>™</sup> Allure	106
Urban	105
Windermere Flagstone™	99
Windermere Smooth	

## COLLECTIONS

Beacon Hill	.71
1etro	85
Jmbriano	65
Jrban	77
Vindermere	.81

## **RETAINING WALLS** AND VERTICALS

Brussels Dimensional Stone®	170
_ineo™ Dimensional Stone	165
Pisa™	171
Pisa Smooth	169
Rivercrest™ Wall	167
SienaStone™	172
SienaStone Smooth	173
J-Cara°	159
J-Cara Modular System	162
J-Cara Wall Mount System	163

## STEPS, TREADS, COPING & CAPS


Beacon Hill	183
Brussels Fullnose <sup>™</sup>	110
Ledgestone™	186
Natural Stone	187
SienaStone™	18
SienaStone Smooth	
Pisa	
Pisa Smooth	
Umbriano Coping	183
Universal Coping	184
Urban	182
Urban Allure	182

## **TOPICS OF INTEREST**

Borders & Accents	14
Coatings & Finishes	8
Classic	52
ColorFusion™	59
Construction Process	196
Contractor Tips	194
Coping	181
Creative Ideas	179
EnduraColor™	52
Elegance™	52
EasyClean™	58
Fire Features & Firepits	175
Joint Material	14
Laying Patterns	13
Maintenance	193
Outdoor Idea Center	190
Outdoor Kitchens	177
Permeable Pavers	55
Pillars	178
Reala <sup>™</sup>	57
Retaining Walls	157
Steps	
Ultima™	56
Unilock Resources	192
Unique Touches	14
Uvision	191
Water Features	

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano® are trademarks of Metten Stein + Design  ${\sf GmbH\,\&\,Co\,KG\,used\,under\,license\,by\,Unilock}^\circ.\, Measurements\,throughout\,this\,portfolio\,are\,nominal.}$ Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from  $actual \, samples. \, Contact \, your \, local \, Unilock \, representative \, for \, color \, availability \, in \, your \, area.$ 

©2024 Hengestone Holdings, Inc.



# **FOLLOW US**















TRANSFORMING HARDSCAPES

**BOSTON** 

(508) 278-4536

CHICAGO

(630)892-9191

MILWAUKEE

(262)742-3890

KANSAS

(913) 417-7985

MICHIGAN

(248) 437-7037

**NEW YORK** 

(845)278-6700

MID-ATLANTIC

(202)798-2060

ONTARIO

(416)646-9000

QUÉBEC

(450)546-2797

CINCINNATI / KY / TN

(513) 202-0219

OHIO/WESTERN PA /WNY&CNY

(330)927-4000

UNILOCK.COM 1-800-UNILOCK

Available from



